
From: ann rodriquez <[REDACTED]>
Sent: Friday, May 31, 2019 6:38 PM
To: Richard Kahn; Merwin Dela cruz
Cc: Karyna Shuliak; Bella Klein; CARLUZ TOYLO; Renato Lacson
Subject: Re: AED defibrillators preventative maintenance

No.
Ms. Holly said they were delivered to 9E 71st Street

DISCLAIMER: The information contained in this e-mail may be privileged, confidential and protected from disclosure. If you are not the intended recipient, you are hereby notified that any dissemination, distribution or duplication of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately and delete all copies.

On Friday, May 31, 2019 02:28=EST, Merwin Dela cruz <[REDACTED]> wrote:

Yes. All 5 are received=

Anna, did you receive the 2 that you sent?

Thanks

Merwin=Dela Cruz
[REDACTED]

On May 31, 2019, at 2:26 PM, Richard Kahn <[REDACTED]> <mailto:[REDACTED]> wrote:

On May 30, 2019, at 6:30 PM, Ann Rodriquez <mailto:[REDACTED]>
Ms. Holly at Cardio Partners said=they were shipped to 9 E. 71st St.
if possible, can they be put on the plane for his Monday 6/3 visit home

AED defibrillators
LSJ Tag on bag: 46259784
GSJ Tag on bag: 46183913

<image1.j=eg>

Th=nks Ana. Please contact the cardio partners team (the number below) and sc=edule the maintenance with them. The defibrillators will need to be shippe= to them for maintenance. Once it's done, they will ship them back=to you.

Cardio partners team:

Email: [REDACTED]

Phone: [REDACTED]

=lease confirm back.

If you have any questions, let me know please.

Thank you.<=p>

On May 1, 2019, at 5:12 AM, Ann Rodriquez <

</=lockquote>
I foun= them...
AED defibrillators
LSJ: 46259784 expires 8/2020

<=iv class="yiv4061046156" dir="ltr">Ann R.
=40-642-2587

On Apr 30, 2019, at 11:46 AM, Karyna Shul=ak <[REDACTED]>
<mailto:[REDACTED]> wrote:

It turns out I =ad a wrong email address for Ana.
Ana, please confirm the receipt of these emails and let me know if yo= have any questions.
Thank y=u!
Karyna

Begin forwarded message:

From: Bella Klein <[REDACTED]> <mailto:[REDACTED]>>
Date: April 30, 2019 at 8:44:08 AM EDT
To: CARLUZ TOYL= <[REDACTED]> <mailto:[REDACTED]>>
<= class="yiv4061046156">Cc: Karyna <[REDACTED]>
<mailto:[REDACTED]>, Ric=ard Kahn <[REDACTED]>
<mailto:[REDACTED]>, [REDACTED] om <mailto:[REDACTED]>>
Subject: Re: AED defibrillators pr=ventative maintenance

<=div>

Thank you Carluz. Merwin an= Anna please update on RMA request.

Thank you,
Bella

[REDACTED] <mailto:[REDACTED]>
Tel: [REDACTED]

[REDACTED] > wr=te:

<=iv class="yiv4061046156">Defibrillators was sent yesterday afternoon&nb=p;
thru Fed Ex , thank you

Carluz N. Toylo
[REDACTED]

On Apr 29, 2019, at 15:20, Bella Klein <[REDACTED] <mailto:[REDACTED]>>

wrote:

Merwin and Anna please request RMA and send f=r maintenance. Carluz already
requested the RMA and will send for replacement as soon as RMA received.

[REDACTED] > wrote:

We have 5 defibrillators at 71st Street now: 1 from the house, 2 for the ranch, 1 for the plan= and 1 that came back to Paris. Merwin should schedule the maintenance today.

Ana,=I have not heard back from you. Please confirm that you received this correspondence.

Th=nk you.

On Apr 29, 2019, at 3:05 PM, Bella Klein <[REDACTED] <mailto:[REDACTED]>>

> wrote:

Merwin/Karen/Anna/Carluz/Larry,
Please confirm the maintenance was scheduled and forward backup documents.

Bella
[REDACTED] <mailto:[REDACTED]>
Tel: [REDACTED]

<mailto: [REDACTED] > wrote:

=/div>

Dear All,

<=r class="yiv4061046156" clear="none">

Our AED defibrillators are due for preventative maintenance.

<=iv class="yiv4061046156">

After speaking with the service agent it appears the best way for us to proceed would be for each of you to schedule maintenance individually for each property. You will need to ship the defibrillators to them and they will ship it back once the maintenance is done.

=/div>

Merwin, Carluz, Karen, Ana: please see the email below and call Cardio Partners number to schedule maintenance. They will give you all the necessary information on how to proceed.

Since this is very important, please everyone confirm back to me once you have the defibrillators shipped and receive them back from maintenance.

We currently have the following quantities for each property:

NY x 1 + 1 in the box for the airplane

Palm Beach x 1

Ranch x 2

Island x 2 (1 on LSJ, 1 on GSJ)

Paris x 1 (I will have to take care of that separately)

<=iv class="yiv4061046156">

Please confirm back the receipt of this message. If you have any questions, let me know.

Thank you all.

Karyna

<=iv class="yiv4061046156">

<=iv class="yiv4061046156">

=begin forwarded message:

From: Service at Cardio Partners <[REDACTED]

<mailto: [REDACTED] > >

Subject: Schedule Your AED Preventative Maintenance Today

<=body class="yiv4061046156">

<https://mandrillapp.co=/track/click/30750659/www.cardiopartners.com?p=eyJzIjoiZFZlV1dSZHlPbmpiR=Z1c1lwZzg2Vjl
kOUFBliwidil6MSwicCl6IntcInVcljozMDC1MDY1OSxInZcljoxLfwidXjs=Cl6XCJodHRwOlxXC9cXFwvd3d3LmNhcmRpb3Bh
cnRuZXJzLmNvbVwiLfwiaWRcIjpclmRiYmM=ODg5ZWRkYTRjZDc5OWViOWZlYjQyZDg0MDM0XClsXCJ1cmxfaWRzXCI6W1
wiNzZhNzcvMTQ5Mz=zNDhhZDcwYzY1MGNiMTQzMWRhYjY1NTFhMGRkNFwiXX0ifQ>
=/tr>

<=r class="yiv4061046156"><=able width="100%" class="yiv4061046156" border="0" cellspacing="0"=cellpadding="0">
=tbody class="yiv4061046156">

It's Time to Service Your AED with =reventative Maintenance

Dear Valued Customer,

It is important that your life saving equipment perform when the need arises. Since your purchase of New Fully Auto LIFEPAK CR+ AED with (1) Carry Case (1) Charge-Pak (2) Pads occurred one year ago, we recommend that you contact us to schedule preventative maintenance on your device. This program will not only ensure your AED is performing properly, but also will extend the life of your product.

</=r>

<=r class="yiv4061046156"><=r class="yiv4061046156">

<http://www.cardiopartners.com/media/image=/CP_AED_Logo.jpg>
=br class="yiv4061046156" clear="none">

=/tbody>
</=r>

<https://mandrillapp.com/track/open.php?u=30750659&id=dbb=3889edda4cd799eb9feb42d84034>
<=r class="yiv4061046156" clear="none">

This email was sent to [REDACTED] <mailto:[REDACTED]> unsub=ribe from this list

<[6](https://mandrillapp.com/track/click/30750659/mandrilla=p.com?p=eyJzIjoiX18tR0tMZDhRdVdzUkJTdnJ5OVdaNUhNdGY0liwidil6MSwicCI6Intc=nVcljozMDC1MDY1OSxInZcljoxLFwidXJsXCI6XCJodHRwOlxcXC9cXFwvbWFuZHJpbGxhcHA=Y29tXFxcL3RyYWNRxFxcL3Vuc3ViLnBocD91PTMwNzUwNjU5JmlkPWRiYmMzODg5ZWRkYTRjZD=50WViOWZlYjQyZDg0MDM0LlIaSWg1d0NFbm5rOGhOdVJ1OHRIZnM0eDUzayUzRCZyPWh0dHBzJ=NBJTJGJTJGbWFuZHJpbGxhcHAuY29tJTJGdW5zdWIIM0ZtZF9lbWFpbCUzREtBUIlOQVNIVUxJ=UslMjU0MEIDTE9VRC5DT01clixclmlkXCI6XCJkYmJjMzg4OWVkJGE0Y2Q3OTlIYjImZWI0MmQ=NDAzNFwiLFwidXJsX2IkC1wiOltcljg3ZjkyM2YxODI4NmZjOTc4MDBhNTcwN2VhMjAyYzNhMD=1MDBmYTRcll19In0></p></div><div data-bbox=)